

Telecom Wavelength Meter Spectrum Analyzer



| Model | Signal | Grade | Wavelength Range | Wavelength Accuracy | Rate | Power Accuracy | Calibration |
|----------------------------|-----------------------|-------|-----------------------------------|------------------------|-------|-------------------|--|
| 228 CW | single wavelength | А | 700 - 1650 nm (182 - 428 THz) | ±0.2 ppm | 10 Hz | ±0.5 dB | Continuous with built-in HeNe laser |
| | | В | | ±0.65 ppm | | | |
| 428 CW and modulated | up to 1000 signals | А | 1270 - 1650 nm (182 - 236 THz) | ±0.2 ppm | 4 Hz | ±0.5 dB | Continuous with built-in HeNe laser |
| | | В | | ±0.65 ppm | | | |
| 438 CW and modulated | up to 1000 signals | А | 1000 - 1680 nm (178 - 300 THz) | ±0.2 ppm | 10 Hz | ±0.5 dB | Continuous with built-in HeNe laser |
| | | В | | ±0.65 ppm | | | |
| 828 CW and modulated | single wavelength | А | 1250 - 1650 nm (182 - 240 THz) | ±0.2 ppm | 1 kHz | ±0.5 dB | automatic with built-in wavelength standard |
| | | В | | ±0.65 ppm | | | |



